



Marine & Offshore
Division

Certificate number: 03985/F0 BV

File number: ACM 135/2209/001

Product code: 2130H

This certificate is not valid when presented without the full attached schedule composed of 7 sections

www.veristar.com

TYPE APPROVAL CERTIFICATE

This certificate is issued to

VOSS Fluid GmbH

Wipperfürth - GERMANY

for the type of product

SCREW COUPLINGS

VOSS PIPE AND FLANGE COUPLINGS

Requirements:

BUREAU VERITAS Rules for the Classification of Steel ships

This certificate is issued to attest that BUREAU VERITAS did undertake the relevant approval procedures for the product identified above which was found to comply with the relevant requirements mentioned above.

This certificate is a renewal of certificate N° 03985/E0 BV expiring on 16/08/2016

This certificate will expire on: 16 Aug 2021

For BUREAU VERITAS,

At BV HAMBURG, on 01 Aug 2016,

Udo Storm



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with BUREAU VERITAS. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. This certificate is issued within the scope of the General Conditions of BUREAU VERITAS Marine & Offshore Division available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against BUREAU VERITAS for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

THE SCHEDULE OF APPROVAL

1. PRODUCT DESCRIPTION

VOSS Pipe and Flange Couplings

1.1 Product range:

- VOSS cutting ring connections
- VOSS 24° taper connections
- VOSS 24° flared connections
- VOSS ZAKO flanges

1.2 Rating:

VOSS cutting ring connections

Series	Tube OD [mm]	Nominal Pressure [bar]
L	6, 8, 10, 12, 15, 18	315
L	22, 28, 35, 42	160
S	6, 8, 10, 12, 14	630
S	16, 20, 25, 30	400
S	38	315

VOSS 24° taper connections

Series	Tube OD [mm]	Nominal Pressure [bar]
L	6, 8, 10	500
L	12, 15, 18	400
L	22, 28, 35, 42	250
S	6, 8, 10	800
S	12, 14, 16	630
S	20, 25, 30, 38	420

VOSS 24° flared connections

Series	Tube OD [mm]	Nominal Pressure [bar]
L	6, 8, 10	500
L	12, 15, 18	400
L	22, 28, 35, 42	250
S	6, 8, 10	800
S	12, 14, 16	630
S	20, 25, 30, 38	420

VOSS ZAKO flanges

Series	Tube OD [mm]	Nominal Pressure [bar]
3000 psi	16, 20, 25, 30, 38, 50, 65, 80	250
6000 psi	16, 20, 25, 30, 38, 50, 65	400

Maximum working pressure and torque as per the manufacturer's recommendations given in the catalogues

1.3 Material specification:

Tubes	Seamless precision steel DIN 2391 / stainless steel 1.4571
Taper couplings	Drawn and forged mild steel / Cast steel acc. DIN 3859-1
Flared couplings	Drawn and forged mild steel / Cast steel acc. DIN 3859-1
Flange couplings	Drawn and forged mild steel / Cast steel acc. DIN 3859-1
Sealing	NBR: - 35°C to + 100°C FPM/FKM: - 25°C to + 200°C

2. DOCUMENTS AND DRAWINGS

According to VOSS Catalogue 9177003101

3. TEST REPORTS

3.1 Examination Report No. AEL 214/06/1, tests performed at VOSS Automotive GmbH, Wipperfürth/GERMANY:

- Leakage test
- Bursting pressure test
- Vacuum test
- Pull-off test

3.2 Test Report No. C101/06, tests performed at IMA, Dresden/GERMANY:

- Pressure pulsation test
- Vibration test

3.3 Fire resistance Tests performed at WTD 71, Kiel/GERMANY. Tests Reports no. 61070/105 – 108

3.4 Bursting pressure test and Leakage test performed at VOSS Automotive GmbH, Wipperfürth/GERMANY and witnessed by BUREAU VERITAS: Report No. UB: A-EEL 2011_031/1

4. APPLICATION / LIMITATION

4.1 May be used for piping systems on board ships.

4.2 Couplings with soft component are not to be used for "fire-safe" systems.

4.3 In all cases, the associated pipes are to be suitably adjusted, aligned and anchored. The VOSS pipe and flange couplings are to be at any time accessible.

4.4 For Bulkhead unions, the requirements given in BUREAU VERITAS Rules Part C, Ch. 1, Sec 10, [5.3] have to be complied with.

4.5 When soft seals are used for Bulkhead unions, it must be ensured that water, oil or fire cannot penetrate through the watertight bulkheads or decks.

4.6 The assembly instructions given by the manufacturer are to be complied with.

5. PRODUCTION SURVEY REQUIREMENTS

5.1 The Flange couplings are to be supplied by the manufacturer in compliance with the type described in this certificate.

5.2 This type of product is within the category HBV of BUREAU VERITAS Rule Note NR320.

5.3 **VOSS Fluid GmbH** has to make the necessary arrangements to have its works recognized by BUREAU VERITAS in compliance with the requirements of NR320 for HBV products:

VOSS Fluid GmbH
Wipperfürth/GERMANY

5.4 Water Pressure Test should be carried out through watertight bulkhead for Bulkhead unions.

6. MARKING OF PRODUCT

- Manufacturer's name or logo
- Model
- Size

7. OTHERS

7.1 This approval is given on the understanding that the Society reserves the right to require check tests to be carried out on the products at any time and that **VOSS Fluid GmbH, Wipperfürth/GERMANY** will accept full responsibility for informing shipbuilders, ship owners or their sub-contractors of the proper methods of use and general maintenance of the products and the conditions of this approval.

7.2 This certificate supersedes the Type Approval Certificate N° 03985/E0 BV issued on 16/08/2011 by the Society.

*** END OF CERTIFICATE ***